

B3

⑬  **Europäisches Patentamt**
European Patent Office
Office européen des brevets

⑪ Publication number: **0 080 999**
B1

⑫ **EUROPEAN PATENT SPECIFICATION**

⑬ Date of publication of patent specification: **13.08.86** ⑭ Int. Cl.⁴: **A 01 C 1/06**
⑮ Application number: **81110000.7**
⑯ Date of filing: **30.11.81**

⑰ **Coating of plant seeds.**

⑱ Date of publication of application:
15.06.83 Bulletin 83/24
⑲ Publication of the grant of the patent:
13.08.86 Bulletin 86/33
⑳ Designated Contracting States:
AT BE CH DE FR GB IT LI LU NL SE
㉑ References cited:
EP-A-0 010 630
CH-A- 273 312
FR-A-1 017 917
US-A-3 460 492

㉒ Proprietor: **SAREA A.G.**
Zugerstrasse 8
CH-6330 Cham (CH)

㉓ Inventor: **Wieser, Franz**
Khevenhüllerstrasse 33
D-4020 Linz (AT)
Inventor: **Hofinger, Hans-Peter**
Linzerstrasse 157B
D-4600 Wels (AT)

㉔ Representative: **Ledzion, Andrzej**
55, avenue Nestlé
CH-1800 Vevey (CH)

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European patent convention).

Courier Press, Leamington Spa, England.

EP 0 080 999 B1

BEST AVAILABLE COPY

Description

This invention is concerned with the coating of plant seeds.

To meet specific needs, various coatings have been applied to seeds. For example, seeds have been
 5 "pelletized" to make them more uniform in size, thereby facilitating handling and mechanical sowing. Pelletizing is especially useful for small seeds and seeds of irregular shape. Alternatively, coatings have been applied to seeds as a means of protection against disease, especially in cold climates.

To the coatings may also be adhered alkaline substances, especially to those applied to seeds preferring neutral soils but which are to be sown in acid soils. Coatings retarding germination have also
 10 been applied to seeds of plant varieties normally flowering and maturing over different time intervals so that coated and uncoated seeds may be planted simultaneously. Both the varieties will then flower at the same time. This technique is useful in the production of hybrid seed corn.

Whilst the application of a coating is a relatively simple procedure, it must nevertheless meet certain criteria in order to be a viable operation capable of being carried out economically on a large scale. The
 15 applied coating should be even and have sufficient mechanical resistance to remain intact on handling in order to assure maximum protection for the seed. Methods of applying coatings should desirably be capable of treating in a short processing time large quantities of seed, up to 10 tonnes per hour, without any significant losses. The coating itself should be stable on storage and unaffected by temperature changes.

20 Our EP—A—10630 is directed to a process for treating plant seeds by forming on the surface of the seeds a firmly adhering, moisture-permeable, essentially water-insoluble coating, which process comprises applying to the seeds an essentially non-aqueous coating solution of the following composition:

25	binder	3.5 to 22.5% by weight
	binder solvent	67.0 to 87.0% by weight
	fungicide	7.0 to 22.5% by weight
30	insecticide	0 to 26.0% by weight
	minor additives	0 to 3.0% by weight

wherein (i) the binder is a natural or synthetic resin or a natural or synthetic wax, and (ii) the respective
 35 weight ratios of solvent to binder and solvent to total solids in the solution are 3.5 to 20:1 and 1.8 to 4.2:1, and thereafter eliminating the solvent.

CH—A—273312, FR—A—1017917 and US—A—3460492 describe the application to seeds of magnetic materials such as iron filings to permit their manipulation by electromagnetic devices, for example
 40 precision sowing machines which release the seeds individually.

It has now been found that incorporation of a metal pigment in compositions of the type described in our aforementioned patent produces coatings which have particularly smooth surfaces, so that their
 abrasion resistance is increased and the flow properties of the coated seeds are improved.

This invention thus provides a process for treating plant seeds with an active ingredient which includes
 45 forming on the surface of the seeds a firmly adhering, moisture-permeable, essentially insoluble coating by applying to the seeds a coating solution comprising 4.0 to 20% by weight of a binder and 45 to 95% by weight of a solvent for the binder, wherein (i) the binder is a natural or synthetic resin or a natural or synthetic wax, and (ii) the respective weight ratios of solvent to binder and solvent to total solids in the solution are 3.5 to 20:1 and 0.4 to 6.0:1, and thereafter eliminating the solvent, characterised in that the
 50 coating solution also contains 5.0 to 25.0% by weight of a metal pigment which is copper, bronze or aluminium. By "active ingredient" are meant substances such as insecticides, fungicides and similar materials used for protecting the seed. These may be incorporated in the solution itself or, in some cases, may be sprayed onto the seeds immediately following application of the solution.

The metal pigment may be used as a powder or paste. With pigment concentrations (based on pure metal) in the coating solutions within the stated range, after elimination of the solvent the coating on the
 55 seed will contain up to 1%, and preferably 0.1 to 0.5% by weight of the pigment. Especially preferred concentrations of pigment in the finished coatings are around 0.2%, corresponding to around 7% based on the coating solutions without addition of active ingredient(s). Bronze pigments of high copper contents should however be avoided.

The binder is essentially insoluble in water under conditions prevailing during storage of the coated
 60 seed and in the soil, so that the seed is much less sensitive to exposure to moisture on storage and after sowing is not washed off the seed by rain. The active ingredient or ingredients thus remain with the seed for a longer time, affording improved protection. The coating however is moisture-permeable so that the seed germinates normally. Examples of preferred binders include shellac, polystyrene, polyethylene glycol or coffee wax (usually obtained by solvent extraction of green coffee). Mixtures of binders may also be
 65 used, as for example shellac with coffee wax or polyethylene glycol. The amount of binder present in the

coating solution will normally vary according to its nature. Thus, natural substances taken together may be present in amounts of up to about 25% by weight, whereas synthetic resins will usually not exceed about 10% of the weight of the coating solution. The term "solution" is used for convenience, denoting that the binder is dissolved in the solvent. However, active ingredients may be present, notably one or more fungicides, which do not dissolve in the solvent, so therefore technically the "coating solution" may in fact also be a suspension.

As previously noted, the solvent (which term for convenience also designates solvent mixtures) will be selected having regard to the binder used, and will normally be a lower alkanol or ketone or a halogenated hydrocarbon. In certain instances—for example when an active ingredient is water soluble—an aqueous solvent phase may be used provided, of course, that the binder can also be dissolved in this solvent. Thus, when the binder is shellac or a mixture of shellac and coffee wax, the solvent phase may include an organic solvent such as ethanol alone, or with water together with an alkali (e.g. NaOH). The function of the alkali is to solubilise the binder as shellac dissolves in alkaline media at 60°C. To facilitate their elimination, solvents having relatively low boiling points are preferred. Needless to say, the solvent should not be phytotoxic.

Different fungicides and/or insecticides may be applied to the seeds, and as these substances are well known *per se* no detailed discussion of their properties is necessary. Apart from the principal active ingredient(s), the solutions may also contain additives such as colourings, growth stimulants, plant hormones, minor nutrients, fertilizers, bird repellents.

The coating solution is most conveniently applied to the seeds by spraying whilst the seeds are in motion, conveniently in a tumbler, rotating drum or similar piece of equipment. Thereafter, the solvent is eliminated for example by application of a vacuum or passing warm air through the coated seeds. The vaporised solvent is optionally condensed for re-use. The relative proportions of coating solution to seed will depend, inter alia, on its concentration of active ingredients, the desired thickness of the coating and also on the size of the seed. In general, the coating solution to seed ratio will be 0.3 to 6:100 by weight.

Coatings in accordance with the invention may be applied to a wide variety of seeds, and may, likewise, contain a wide range of active ingredients. Particularly successful results have been obtained with seeds of rape.

In addition to having the advantages described in our EP—A—10630 (possibility of forming thin coatings, firm adherence, mechanical strength, rapid application and drying) coatings prepared according to the present invention containing metal pigments have a very smooth surface which improves abrasion resistance and flow properties. Moreover, the coated seeds have an attractive glossy appearance.

The invention is illustrated by the following Examples, in which all parts, ratios and percentages are expressed on a weight basis.

Example 1

A binder base composition is prepared from:

Shellac	9.0%
Coffee wax	5.4
Ethanol	35.5
Methylene chloride	49.9
Colouring	0.2

With this base 2 coating solutions A & B are prepared from:

	A	B
Base	3000	2775 parts
Oftanol T	4000	4000
Aluminium pigment	0	225

The solutions are applied to rape seed, in a ratio of 7:100 parts, by spraying whilst the seed is tumbled in a rotating drum. Solvent is then evaporated in a current of warm (about 30°C) air.

Laboratory and field (Upper Austria, sown 17 June, plants counted 23 July) emergence trials, results of which are given below, show that the metal pigment has no significant effect on germination:

0 080 999

Coating solution	% Emergence	
	Laboratory (48 h)	Field
A	72	88
B	73	85

The abrasion resistance of the two lots of seed is determined as follows: 500 g lots of the seeds are placed in a cubical mixer (20 cm side) and rotated for 5 minutes at 39 rpm. The seeds are then sifted and weighed and the weight of dust produced is obtained by difference:

Seed	Dust weight
A	0.1231 g (0.61%)
B	0.0297 g (0.15%)

The flow characteristics of the two seed samples were determined as follows: a test tube, 30 mm diameter and 20 cm long, is completely filled with the seed. The tube is then closed by a conical cap (cone angle to vertical, at apex, 60°) with a 10 mm diameter hole in the centre. The tube is inverted and the time taken for all the seed to run out under gravity is determined 5 times for each sample. The results obtained, in seconds, are given below:

Test	Sample A	Sample B
1	22.9	20.1
2	23.5	19.9
3	23.0	21.0
4	23.2	19.5
5	24.0	19.9
Méan	23.3	20.08
Standard deviation	±0.39	±0.49
Difference (relative)	116%	100%

Example 2

The base composition is used for preparing solutions of different compositions with which rape seed is coated by the method described in Example 1. ISOPHENPHOS is used as plant protection agent instead of Oftanol T and the pigments are bronze rather than aluminium. In all, 13 trials are made, with the variables noted below:

0 080 999

	Trial	Variable
	1	Untreated seed
5	2	Control, coating only, 2.5% on seed
	3	Control, coating (2.5%)+inert filler (0.7%)
10	4	Fire red, glossy
	5	Lemon, grade lala
	6	Copper, glossy
15	7	Pale gold, glossy
	8	Rich pale gold, colour printing type, glossy
	9	Rich pale gold, grade lala
20	10	Rich pale gold, tarnish resistant, glossy
	11	Rich pale gold, colour printing type, glossy
25	12	Rich pale gold, glossy
	13	Rich gold, glossy

In Trials 4—13 the bronze pigment (1:100 on seed) is applied in a mixture containing 50% binder base, 14% inert filler (kieselguhr) and 36% plant protectant, at a ratio of mixture to seed of 5:100. Laboratory germination trial results obtained with the coated seeds, after 2, 3 and 7 days, are reported in Table I.

		TABLE I					
		% germination					
	Rank	Trial	2 days	Trial	3 days	Trial	7 days
	1	1	97	1	98	1	99
40	2	3	96	2	98	3	99
	3	9	95	3	97	2	98
	4	2	94	8	97	8	98
45	5	4	94	7	96	9	97
	6	7	94	9	96	10	97
50	7	10	94	10	96	7	96
	8	11	93	4	95	12	96
	9	13	93	5	95	13	96
55	10	5	93	13	95	4	95
	11	8	93	11	94	5	95
60	12	12	92	12	94	6	95
	13	6	91	6	93	11	95

Despite the large amounts of metal the germination of the treated seeds showed no significant difference in comparison with the untreated seed and the controls.

Example 3

A coating solution, suitable for water-soluble plant protection agents, is prepared from:

5	Shellac	14.0%
	Ethanol	51.4
	Butyl glycol	4.7
10	Sodium hydroxide	1.0
	Aluminium pigment	6.5
	Colouring	0.4
15	Water	22.0

Claims

- 20 1. A process for treating plant seeds with an active ingredient, which includes forming on the surface of the seeds a firmly adhering, moisture-permeable, essentially water-insoluble coating, by applying to the seeds a coating solution comprising 4.0 to 20% by weight of a binder and 45 to 95% by weight of a solvent for the binder, wherein: (i) the binder is a natural or synthetic resin or a natural or synthetic wax, and (ii) the respective weight ratios of solvent to binder and solvent to total solids in the solution are 3.5 to 20:1 and 0.4 to 6.0:1, and thereafter eliminating the solvent, characterised in that the coating solution also contains 5.0 to 25.0% by weight of a metal pigment which is copper, aluminium or bronze.
- 25 2. A process according to claim 1 in which the solution contains about 7.0% by weight of metal pigment.
3. A process according to claim 1 in which the binder includes shellac.
- 30 4. A process according to claim 3 in which the binder is a mixture of coffee wax and shellac.
5. A process according to claim 4 in which the solvent includes an aqueous alkali.
6. A process according to claim 3, 4, or 5 in which the solvent comprises ethanol.
7. A process according to claim 3 or claim 4 in which the solvent is a mixture of ethanol with acetone or methylene chloride.
- 35 8. A process according to claim 1 in which the binder includes coffee wax or polystyrene, and the solvent includes a halogenated hydrocarbon.
9. A process according to any preceding claim, in which 0.3 to 5 parts by weight of solution are applied to every 100 parts by weight of seed.

40 Patentansprüche

1. Verfahren zur Behandlung von Saatgut mit einem wirksamen Bestandteil, welches ein Ausbilden eines fest anhaftenden, feuchtigkeitsdurchlässigen, im wesentlichen wasserunlöslichen Überzuges auf der Oberfläche des Saatgutes durch Auftragen einer 4,0 bis 20 Gew.-% eines Bindemittels und 45 bis 95 Gew.-% eines Lösungsmittels für das Bindemittel umfassenden Lösung, worin (i) das Bindemittel ein natürliches oder synthetisches Harz oder ein natürliches oder synthetisches Wachs ist und (ii) die Gewichtsverhältnisse von Lösungsmittel zu Bindemittel bzw. von Lösungsmittel zu Gesamtfeststoffen in der Lösung 3,5 bis 20:1 bzw. 0,4 bis 6,0:1 betragen, auf die Oberfläche des Saatgutes und ein anschließendes Beseitigen des Lösungsmittels umfaßt, dadurch gekennzeichnet, daß die Überzugslösung zusätzlich 5,0 bis 25,0 Gew.-% eines Metallpigmentes, nämlich Kupfer, Aluminium oder Bronze, enthält.
- 45 2. Verfahren nach Anspruch 1, worin die Lösung etwa 7,0 Gew.-% Metallpigment enthält.
3. Verfahren nach Anspruch 1, worin das Bindemittel Schellack umfaßt.
4. Verfahren nach Anspruch 3, worin das Bindemittel ein Gemisch aus Kaffeewachs und Schellack ist.
5. Verfahren nach Anspruch 4, worin das Lösungsmittel ein wässriges Alkali umfaßt.
- 55 6. Verfahren nach Anspruch 3, 4 oder 5, worin das Lösungsmittel Ethanol umfaßt.
7. Verfahren nach Anspruch 3 oder 4, worin das Lösungsmittel ein Gemisch aus Ethanol mit Aceton oder Methylenchlorid ist.
8. Verfahren nach Anspruch 1, worin das Bindemittel Kaffeewachs oder Polystyrol einschließt und das Lösungsmittel einen halogenierten Kohlenwasserstoff umfaßt.
- 60 9. Verfahren nach einem der vorstehenden Ansprüche, worin 0,3 bis 5 Gewichtsteile Lösung je 100 Gewichtsteile Saatgut aufgebracht werden.

Revendications

- 65 1. Procédé pour traiter des graines de plantes avec un ingrédient actif, qui comprend la formation à la

surface des graines d'un revêtement adhérent solidement, perméable à l'humidité, essentiellement insoluble dans l'eau, par application aux graines d'une solution de revêtement comprenant 4,0 à 20% en poids d'un liant et 45 à 95% en poids d'un solvant de ce liant, solution dans laquelle: (i) le liant est une résine naturelle ou synthétique, ou une cire naturelle ou synthétique, et (ii) les rapports respectifs en poids du solvant au liant et du solvant aux matières solides totales dans la solution vont de 3,5 à 20:1 et de 0,4 à 6,0:1, suivie de l'élimination du solvant, procédé caractérisé en ce que la solution de revêtement contient également 5,0 à 25,0% en poids d'un pigment métallique, le métal étant le cuivre, l'aluminium ou le bronze.

2. Procédé suivant la revendication 1, dans lequel la solution contient environ 7,0% en poids de pigment métallique.

3. Procédé suivant la revendication 1, dans lequel le liant comprend de la gomme-laque.

4. Procédé suivant la revendication 3, dans lequel le liant est un mélange de cire de café et de gomme-laque.

5. Procédé suivant la revendication 4, dans lequel le solvant comprend une solution aqueuse d'alcali.

6. Procédé suivant la revendication 3, 4 ou 5, dans lequel le solvant comprend l'éthanol.

7. Procédé suivant la revendication 3 ou la revendication 4, dans lequel le solvant est un mélange d'éthanol et d'acétone ou d'éthanol et de chlorure de méthylène.

8. Procédé suivant la revendication 1, dans lequel le liant comprend la cire de café ou le polystyrène, et le solvant comprend un hydrocarbure halogéné.

9. Procédé suivant l'une quelconque des revendications précédentes, dans lequel 0,3 à 5 parties en poids de solution sont appliquées pour 100 parties en poids de graines.

25

30

35

40

45

50

55

60

65

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.